



RECREATIONAL BOATS
ASIS OPEN 6.5
 Technical Specifications - Page 1/3



GENERAL	
Hull	GRP
Superstructure	GRP
Collar	Hypalon 1100 Dtex ; Air or Foam
Description	ASIS Open 6.5
Classification	Category B
Number of Air Chamber	5 No.

DIMENSIONS	
Length	6430 mm
Beam	2490 mm
Tube Dia	480 mm
Total Weight (Empty Boat)	665 Kg
Displacement (Maximum Payload)	1700 Kg

* ISO 6185



RECREATIONAL BOATS
ASIS OPEN 6.5
Technical Specifications - Page 2/3


CAPACITIES	
Fuel Tank (Maximum Capacity)	350 L
Fresh Water	NA
Waste Water	NA
Number of Passenger	9

ELECTRICAL	
Power Supply	12 V Electric Supply
Generator	Optional

PROPULSION	
Recommended Power (HP)	115 HP
Propulsion	Outboard / Inboard
Maximum Power (HP)	150 HP

NAVAGATION & COMMUNICATIONS
As per the customer's requirments

STANDARD FEATURES	
Hypalon ORCA 1100 Dtex Buoyancy Standard Color Tube with Semi-Recessed Valves	Under -Deck Storage
S.S. Eye Nut Inside The Anchor Box	Anchor Locker
Large Profile all Round Double Rubbing Strake	1 No Bow U-Bolt & 2 Towing Rings
Reinforced Cone Ends	S.S.Transom Strip
2 No Paddles	Polyamide Lacing Cuff and Safety Grab line
Repair Kit	4 No Moulded Handles
Automatic Bilge Pump with Float Switch	Engine Pit
S.S. 316 Ltr Fuel Tank with Gauge and Sender	Self Draining Deck
Air Pump	Owner's Manual
Navigator and Anchor Light	Switch Panel
S.S. Base Pin Connection for A Frame	



RECREATIONAL BOATS
ASIS OPEN 6.5
 Technical Specifications - Page 3/3

OPTIONAL ACCESSORIES	
Custom Color Fiber Glass	Custom Color Hypalon
Tube Material Spec- 1670 Dtex	Double Layer Hypalon
Extra Fender Line	Internal Safety Rope Grab Line
Hypalon Strip Between Fender	Hypalon Rectangular Patches
Hypalon Branding and Numbering	Extra Moulded Handle
Jockey Seat Console	Mamba Console
Ballistic Single Console	Ballistic Double Console
Single Futura Console	Double Futura Console
Double Lux Console	S.S. Connector for A Frame (4 No)
S.S. Leaning Post Single	S.S. Leaning Post with Back Rest Single
S.S. Leaning Post Double	S.S. Leaning Post with Back Rest Double
Jockey Straddle Seat	Jockey Straddle Seat with Side Handles
Jockey Straddle Seat with Top Handles	S.S. Front Rail for Straddle Seat
Pilot Seat (Elite Style)	Single Bucket Seat with S.S. Grab Rails
Double Bucket Seat with S.S. Grab Rails	Ullman Seat
Double Back Seat with Swivel Back Rest	Triple Back Seat with Swivel Back Rest
S.S. Back Seat	S.S. Foldable Back Seat
S.S. A Frame	S.S. Foldable A Frame
S.S. A Frame with Ladder	S.S. Skiing Pole
S.S. Tow Post	S.S. Bollard
S.S. Keel Guard	S.S. Engine Guard Rail
S.S. Engine Support Plate	Sunbed
S.S. T Top Single	S.S. T Top Double
S.S. Foldable T Top	Bimini Top
S.S. Bow Rider Rails	S.S. Dive Bottle Rack (for 6 Bottles)
Downgrade/ Upgrade Fuel Capacity	S.S. Tube Ladder
S.S. Transom Ladder	S.S. Ladder with Platform
S.S. Anchor with S.S. 316 Chain	S.S. Anchor Rope 30 Mtr
S.S. Heavy Duty Lifting Points (2 No on Front & 2 No. on Back)	Bow Step with Anchor Guide and 2 S.S. Cleats
Windless Clipper with S.S. Chain & Anchor	Fire Extinguisher Compartment
Boat Cover	Anti-fouling Hull
GPS	VHF Radio
Fish finder	CD-Radio with Speakers
Search Lights	Boat Light
Power Socket 12V	Off-Shore Compass
Life Jackets	Life Ring
Shower Kit and Water Tank (60L)	Trailer with Single Axis and Spare Wheel
Trailer with Double Axis and Spare Wheel	Export Packaging