



**A**SIS  
**PROFESSIONAL**  
8.0M RHIB

# G GENERAL CHARACTERISTICS

Overall Length	7800mm
Inside Length	6930mm
Overall Width	2500mm
Inside Width	1540mm
Tube Diameter	480mm
Draught	500mm
No. of Passenger	15 Persons as per CE Certificate
Weight (Boat with accessories)	1400 Kg
Max Power	500 Hp
Max Payload (Crew, Fuel & Carryon Load)	2000 Kg

## H HULL AND DECK

- ◇ "V" Shaped Laminated Fiber Glass Extra Reinforced (Commercial Lay-up) Reverse U
- ◇ Chine's Hull
- ◇ Fiber Glass Extra Reinforced Deck with Non-Skid Texture
- ◇ Color: Orange
- ◇ Self Draining Deck

- ◇ Built-in Cavity for fuel tank and under deck storage
- ◇ Anchor Box With Locker
- ◇ Engine Pit
- ◇ Stern Driver Guard

Anti Skid Boarding Platform with Proper Handrail at Bow

## COLLAR

- ◇ Heavy duty Neoprene / Hypalon 1670 Dtex with PE Foam Filled Tube
- ◇ Color – Orange
- ◇ Collar Accessories:
  - Triple Fender Strake
  - Fiber Glass Cone Ends
  - Exterior Safety Grab Rope
  - Interior Safety Grab Rope
  - Moulded Rubber Handles 4 no.
  - Double Neoprene Step Treads on
    - ◇ Tube (Rubbing Strakes)
    - Reflective Strip on Tube

## CONSOLE

- ◇ Double Futura Console
- ◇ Wind Screen on Console
- ◇ Hand Rail

## SEATS / SEATING ARRANGEMENT

- ◇ 6 x ASIS Single Straddle seat wit side handle
- ◇ Proper Leaning Post with Foot Grab Strap and Grab Handle for the Driving Console

# EQUIPMENT/ACCESSORIES

- ◇ S.S Bow Eyes and two heavy duty S.S Transom tie-downs
- ◇ Aluminum A-Frame with Self Righting System
- ◇ Diving Ladder integrated on A-Frame
- ◇ Small Flag Post
- ◇ Reinforced Cone Ends
- ◇ Air Pump 1 No.
- ◇ S.S Transom Strip
- ◇ Mooring & Towing bitts
- ◇ Emergency First Aid kit
- ◇ Hand Held Flares
- ◇ Painter line
- ◇ Oars
- ◇ Book Hook
- ◇ Fire Extinguisher 2KG
- ◇ Engine vane with walkable tailgate

# HOISTING

- ◇ Single Point Lifting System with Offload Release Hook

# BILGE PUMPING / DRAINING

- ◇ High Capacity Deck Self Drains 2 no.
- ◇ Hull Drains 1 No.
- ◇ Electrical Bilge Pump With Float Switch (Capacity 500 GPH)

# BILGE PUMPING / DRAINING

- ◇ High Capacity Deck Self Drains 2 no.
- ◇ Hull Drains 1 No.
- ◇ Electrical Bilge Pump 2 no. With Float Switch

# FUEL SYSTEM

- ◇ S.S Built-in Fuel tank 225L with Sender Unit
- ◇ Fuel Gauges and Fuel Fillers
- ◇ Fuel Sender Access Hatch on Lid
- ◇ Fuel & Water Separator

# ELECTRICAL

- ◇ 12 VDC Electrical System
- ◇ Twin Battery System with Battery Trey & Selector / Isolate Switches
- ◇ Switch Panel
- ◇ LED Anchor Lights
- ◇ LED Navigation Lights 2nos.
- ◇ Search light

# STANDARD ACCESSORIES

- ◇ Plastic Paddles 2 No.
- ◇ Repair Kit
- ◇ Owners Manual
- ◇ ON-Water Test Certificate

# C OMMUNICATION SYSTEM

- ◇ Garmin GPSMAP 922 XS 9" Display
- ◇ Garmin GMR 18HD Marine Radar scanner (36NM)
- ◇ Garmin VAW450S Blue Chart g2 Vision SD Card
- ◇ Garmin in hull Mount Transducer
- ◇ ICOM 565 VHF / DSC & VHF antenna
- ◇ Radar reflector with reflective tape
- ◇ Magnetic Compass

# O PTIONAL PROPULSION

- ◇ Single Yanmar Marine Engine 4LHA-DTZP rated 200hp@3300rpm with accessories (Incl. Single ZF Gear Reduction Gear Box, Single Heavy Duty CARDON Shaft and Hamilton HJ 213 waterjet)
- ◇ Single OXE 150Hp Diesel Outboard Engines with Standard Accessories and Installation

# E XPORT PACKING

- ◇ Export Shipping Cradle & Shrink Wrapping